



Ph: 4722 3104

E: info@windviewaustralia.com

W: www.windviewaustralia.com

Unit 2/70

Mulgoa Road

Penrith, NSW 2750

WINDVIEW

A U S T R A L I A

Elegance With A View

Manufacturer of Aluminium Windows and Doors



Standard Sizes and
Configurations











Fabricator For Capral Aluminium

CAPRAL
ALUMINIUM

Awning Windows

Awning Windows, also known as Top Hung, are hinged at the top of the frame meaning the bottom of the panel swings out via either a winder or a cam handle. This allows for air flow to enter in under the window and for hot air to escape over the top. With the winder option utilized, flyscreens can be fitted without the need for removal when opening the window.



Configuration	Window Size		Stud Opening		# of Bricks		Configuration	Window Size		Stud Opening		# of Bricks	
	Height	Width	Height	Width	Height	Width		Height	Width	Height	Width	Height	Width
	600	610	656	666	7	25		1370	610	1426	666	16	25
		730		786		3			730		786		3
		850		906		3.5			850		906		3.5
		970		1026		4			970		1026		4
		1090		1146		4.5			1090		1146		4.5
		1210		1266		5			1210		1266		5
	772	610	828	666	9	25		1540	610	1596	666	18	25
		730		786		3			730		786		3
		850		906		3.5			850		906		3.5
		970		1026		4			970		1026		4
		1090		1146		4.5			1090		1146		4.5
		1210		1266		5			1210		1266		5
	944	610	1000	666	11	25		1800	610	1856	666	21	25
		730		786		3			730		786		3
		850		906		3.5			850		906		3.5
		970		1026		4			970		1026		4
		1090		1146		4.5			1090		1146		4.5
		1210		1266		5			1210		1266		5
	1030	610	1086	666	12	25		2058	610	2114	666	24	25
		730		786		3			730		786		3
		850		906		3.5			850		906		3.5
		970		1026		4			970		1026		4
		1090		1146		4.5			1090		1146		4.5
		1210		1266		5			1210		1266		5
	1200	610	1256	666	14	25		2100	610	2156	666	24.5	25
		730		786		3			730		786		3
		850		906		3.5			850		906		3.5
		970		1026		4			970		1026		4
		1090		1146		4.5			1090		1146		4.5
		1210		1266		5			1210		1266		5

- All drawings are viewed from the outside.
- All dimensions are in mm.
- All 2 and 3 lite awnings come as equal width as standard however different sash widths can be ordered.
- All configurations with low lites have the transom set at 600mm as standard. Different transom heights can be ordered
- Side lites can be ordered as operable panels
- Other sizes and configurations are available. Please consult with our sales staff to find the right window for you.






Configuration	Window Size		Stud Opening		# of Bricks		Configuration	Window Size		Stud Opening		# of Bricks	
	Height	Width	Height	Width	Height	Width		Height	Width	Height	Width	Height	Width
	600	1450	656	1506	7	6		1540	1450	1596	1506	18	6
		1570		1626		6.5			1570		1626		6.5
		1810		1866		7.5			1810		1866		7.5
		2170		2226		9			2170		2226		9
		2410		2466		10			2410		2466		10
	772	1450	828	1506	9	6		1800	1450	1856	1506	21	6
		1570		1626		6.5			1570		1626		6.5
		1810		1866		7.5			1810		1866		7.5
		2170		2226		9			2170		2226		9
		2410		2466		10			2410		2466		10
	944	1450	1000	1506	11	6		2058	1450	2114	1506	24	6
		1570		1626		6.5			1570		1626		6.5
		1810		1866		7.5			1810		1866		7.5
		2170		2226		9			2170		2226		9
		2410		2466		10			2410		2466		10
	1030	1450	1086	1506	12	6		2100	1450	2156	1506	24.5	6
		1570		1626		6.5			1570		1626		6.5
		1810		1866		7.5			1810		1866		7.5
		2170		2226		9			2170		2226		9
		2410		2466		10			2410		2466		10
	1200	1450	1256	1506	14	6		600	2650	656	2706	7	11
		1570		1626		6.5		772		828		9	
		1810		1866		7.5		944		1000		11	
		2170		2226		9		1030		1086		12	
		2410		2466		10		1200		1256		14	
	1370	1450	1426	1506	16	6		1370	2650	1426	2706	16	11
		1570		1626		6.5		1540		1596		18	
		1810		1866		7.5		1800		1856		21	
		2170		2226		9		2058		2114		24	
		2410		2466		10		2100		2156		24.5	






- All drawings are viewed from the outside.
- All dimensions are in mm.
- All 2 and 3 lite awnings come as equal width as standard however different sash widths can be ordered.
- All configurations with low lites have the transom set at 600mm as standard. Different transom heights can be ordered
- Side lites can be ordered as operable panels
- Other sizes and configurations are available. Please consult with our sales staff to find the right window for you.

Double Hung Window










Double Hung Windows are a traditional style window that slide up and down. The windows are manufactured to allow both panels to move. This allows you to either lift the bottom panel to let a breeze in or lower the top panel for hot air to escape. Flyscreens can also be fitted.

Configuration	Window Size		Stud Opening		# of Bricks	
	Height	Width	Height	Width	Height	Width
	944	610	1000	666	11	25
		730		786		3
		850		906		3.5
		970		1026		4
		1090		1146		4.5
		1210		1266		5
	1030	610	1086	666	12	25
		730		786		3
		850		906		3.5
		970		1026		4
		1090		1146		4.5
		1210		1266		5
	1200	610	1256	666	14	25
		730		786		3
		850		906		3.5
		970		1026		4
		1090		1146		4.5
		1210		1266		5
	1370	610	1426	666	16	25
		730		786		3
		850		906		3.5
		970		1026		4
		1090		1146		4.5
		1210		1266		5
	1540	610	1596	666	18	25
		730		786		3
		850		906		3.5
		970		1026		4
		1090		1146		4.5
		1210		1266		5

Configuration	Window Size		Stud Opening		# of Bricks	
	Height	Width	Height	Width	Height	Width
	1800	610	1856	666	21	25
		730		786		3
		850		906		3.5
		970		1026		4
		1090		1146		4.5
		1210		1266		5
	2058	610	2114	666	24	25
		730		786		3
		850		906		3.5
		970		1026		4
		1090		1146		4.5
		1210		1266		5
	2100	610	2156	666	24.5	25
		730		786		3
		850		906		3.5
		970		1026		4
		1090		1146		4.5
		1210		1266		5
	944	1450	1000	1506	11	6
		1570		1626		6.5
		1810		1866		7.5
		2170		2226		9
	1030	1450	1086	1506	12	6
		1570		1626		6.5
		1810		1866		7.5
		2170		2226		9
		2410		2466		10
		2410		2466		10

- All drawings are viewed from the outside.
- All dimensions are in mm.
- All 2 and 3 lite Double Hungs come as equal width as standard however different sash widths can be ordered.
- Side lites can be ordered with a transom or as another operable double hung.
- Other sizes and configurations are available. Please consult with our sales staff to find the right window for you.

Configuration	Window Size		Stud Opening		# of Bricks	
	Height	Width	Height	Width	Height	Width
	1200	1450	1256	1506	14	6
		1570		1626		6.5
		1810		1866		7.5
		2170		2226		9
		2410		2466		10
	1370	1450	1426	1506	16	6
		1570		1626		6.5
		1810		1866		7.5
		2170		2226		9
		2410		2466		10
	1540	1450	1596	1506	18	6
		1570		1626		6.5
		1810		1866		7.5
		2170		2226		9
		2410		2466		10
	1800	1450	1856	1506	21	6
		1570		1626		6.5
		1810		1866		7.5
		2170		2226		9
		2410		2466		10











Configuration	Window Size		Stud Opening		# of Bricks	
	Height	Width	Height	Width	Height	Width
	2058	1450	2114	1506	24	6
		1570		1626		6.5
		1810		1866		7.5
		2170		2226		9
		2410		2466		10
	2100	1450	2156	1506	24.5	6
		1570		1626		6.5
		1810		1866		7.5
		2170		2226		9
		2410		2466		10
	944	2650	1000	2706	11	6
	1030		1086			6.5
	1200		1256			7.5
	1370		1426			9
	1540		1596			10
	1800		1856			11
	2058		2114			12
2100	2156	14				






- All drawings are viewed from the outside.
- All dimensions are in mm.
- All 2 and 3 lite Double Hungs come as equal width as standard however different sash widths can be ordered.
- Side lites can be ordered with a transom or as another operable double hung.
- Other sizes and configurations are available. Please consult with our sales staff to find the right window for you.

Casement Window



Casement Windows are a traditional window that is hinged at the side of the frame meaning one side of the panel will swing outwards. This style of window allows for great airflow into the house when fully opened. Cam handles are used to lock and operate the window.

Configuration	Window Size		Stud Opening		# of Bricks	
	Height	Width	Height	Width	Height	Width
	600	610	656	666	7	25
		730		786		3
		850		906		3.5
	772	610	828	666	9	25
		730		786		3
		850		906		3.5
	944	610	1000	666	11	25
		730		786		3
		850		906		3.5
	1030	610	1086	666	12	25
		730		786		3
		850		906		3.5
	1200	610	1256	666	14	25
		730		786		3
		850		906		3.5
	1370	610	1426	666	16	25
		730		786		3
		850		906		3.5
	1540	610	1596	666	18	25
		730		786		3
		850		906		3.5
	1800	610	1856	666	21	25
		730		786		3
		850		906		3.5
	2058	610	2114	666	24	25
		730		786		3
		850		906		3.5
	2100	610	2156	666	24.5	25
		730		786		3
		850		906		3.5

Configuration	Window Size		Stud Opening		# of Bricks	
	Height	Width	Height	Width	Height	Width
	600	970	656	1026	7	4
		1090		1146		4.5
		1210		1266		5
		1450		1506		6
		1570		1626		6.5
	772	970	828	1026	9	4
		1090		1146		4.5
		1210		1266		5
		1450		1506		6
		1570		1626		6.5
	944	970	1000	1026	11	4
		1090		1146		4.5
		1210		1266		5
		1450		1506		6
		1570		1626		6.5
	1030	970	1086	1026	12	4
		1090		1146		4.5
		1210		1266		5
		1450		1506		6
		1570		1626		6.5
	1200	970	1256	1026	14	4
		1090		1146		4.5
		1210		1266		5
		1450		1506		6
		1570		1626		6.5
		1810		1866		7.5

- All drawings are viewed from the outside.
- All dimensions are in mm.
- All 2 and 3 lite casements come as equal width as standard however different sash widths can be ordered.
- All configurations with low lites have the transom set at 600mm as standard. Different transom heights can be ordered
- Side lites can be ordered as operable panels
- Other sizes and configurations are available. Please consult with our sales staff to find the right window for you.




Configuration	Window Size		Stud Opening		# of Bricks		Configuration	Window Size		Stud Opening		# of Bricks						
	Height	Width	Height	Width	Height	Width		Height	Width	Height	Width	Height	Width					
	1370	970	1426	1026	16	4		600	2170	656	2226	7	9					
		1090		1146		4.5			2410		2466		10					
		1210		1266		5			2530		2586		10.5					
		1450		1506		6			772		2170		828	2226	9	9		
		1570		1626		6.5										2410	2466	10
		1810		1866		7.5										2530	2586	10.5
	1540	970	1596	1026	18	4		944		1000		2226				11	9	
		1090		1146		4.5						2410					2466	10
		1210		1266		5						2530					2586	10.5
		1450		1506		6			1030		2170	1086	2226	12	9			
		1570		1626		6.5									2410		2466	10
		1810		1866		7.5									2530		2586	10.5
	1800	970	1856	1026	21	4		1200		1256					2226	14	9	
		1090		1146		4.5									2410		2466	10
		1210		1266		5									2530		2586	10.5
		1450		1506		6			1370		2170	1426	2226	16	9			
		1570		1626		6.5									2410		2466	10
		1810		1866		7.5									2530		2586	10.5
	2058	970	2114	1026	24	4		1540		1596					2226	18	9	
		1090		1146		4.5									2410		2466	10
		1210		1266		5									2530		2586	10.5
		1450		1506		6			1800		2170	1856	2226	21	9			
		1570		1626		6.5									2410		2466	10
		1810		1866		7.5									2530		2586	10.5
	2100	970	2156	1026	24.5	4		2058		2114					2226	24	9	
		1090		1146		4.5									2410		2466	10
		1210		1266		5									2530		2586	10.5
		1450		1506		6			2100		2170	2156	2226	24.5	9			
		1570		1626		6.5									2410		2466	10
		1810		1866		7.5									2530		2586	10.5





- All drawings are viewed from the outside.
- All dimensions are in mm.
- All 2 and 3 lite casements come as equal width as standard however different sash widths can be ordered.
- All configurations with low lites have the transom set at 600mm as standard. Different transom heights can be ordered
- Side lites can be ordered as operable panels
- Other sizes and configurations are available. Please consult with our sales staff to find the right window for you.

Sliding Window







Sliding Windows are the most common type of window where the opening panel slides to the side. This simple style of window is great for allowing air flow into the house with almost 50% of the window opening. The panel can latch either on the side or in the middle of the window. Flyscreens can also be fitted.

Configuration	Window Size		Stud Opening		# of Bricks	
	Height	Width	Height	Width	Height	Width
	600	610	656	666	7	25
		730		786		3
		850		906		3.5
		970		1026		4
		1090		1146		4.5
		1210		1266		5
		1450		1506		6
		1570		1626		6.5
		1810		1866		7.5
		2170		2226		9
	772	610	828	666	9	25
		730		786		3
		850		906		3.5
		970		1026		4
		1090		1146		4.5
		1210		1266		5
		1450		1506		6
		1570		1626		6.5
		1810		1866		7.5
		2170		2226		9
	944	610	1000	666	11	25
		730		786		3
		850		906		3.5
		970		1026		4
		1090		1146		4.5
		1210		1266		5
		1450		1506		6
		1570		1626		6.5
		1810		1866		7.5

Configuration	Window Size		Stud Opening		# of Bricks					
	Height	Width	Height	Width	Height	Width				
	1030	850	1086	906	12	3.5				
		970		1026		4				
		1090		1146		4.5				
		1210		1266		5				
		1450		1506		6				
		1570		1626		6.5				
		1810		1866		7.5				
		2170		2226		9				
				1200		970	1256	1026	14	4
						1090		1146		4.5
1210	1266		5							
1450	1506		6							
1570	1626		6.5							
1810	1866		7.5							
2170	2226		9							
	1370		1090		1426	1146		16		4.5
			1210			1266				5
			1450			1506				6
		1570	1626	6.5						
		1810	1866	7.5						
		2170	2226	9						
			1540	1210		1596	1266		18	5
				1450			1506			6
				1570			1626			6.5
				1810			1866			7.5
2170	2226			9						

- All drawings are viewed from the outside.
- All dimensions are in mm.
- All 2 lite sliding windows come with the left panel sliding as standard however this can be reversed.
- 3 lite sliding windows come as quarter/half/quarter as standard however equal widths can be ordered.
- Other sizes and configurations are available. Please consult with our sales staff to find the right window for you.

Configuration	Window Size		Stud Opening		# of Bricks	
	Height	Width	Height	Width	Height	Width
	1800	1090	1856	1146	21	4.5
		1210		1266		5
		1450		1506		6
		1570		1626		6.5
		1810		1866		7.5
		2170		2226		9
	2058	1090	2114	1146	24	4.5
		1210		1266		5
		1450		1506		6
		1570		1626		6.5
		1810		1866		7.5
		2170		2226		9
	2100	1090	2156	1146	24.5	4.5
		1210		1266		5
		1450		1506		6
		1570		1626		6.5
		1810		1866		7.5
		2170		2226		9

Configuration	Window Size		Stud Opening		# of Bricks	
	Height	Width	Height	Width	Height	Width
	600	2410	656	2466	7	10
		2650		2706		11
	772	2410	828	2466	9	10
		2650		2706		11
	944	2410	1000	2466	11	10
		2650		2706		11
	1030	2410	1086	2466	12	10
		2650		2706		11
	1200	2410	1256	2466	14	10
		2650		2706		11
	1370	2410	1426	2466	16	10
		2650		2706		11
	1540	2410	1596	2466	18	10
		2650		2706		11
	1800	2410	1856	2466	21	10
		2650		2706		11
	2058	2410	2114	2466	24	10
		2650		2706		11
	2100	2410	2156	2466	24.5	10
		2650		2706		11

- All drawings are viewed from the outside.
- All dimensions are in mm.
- All 2 lite sliding windows come with the left panel sliding as standard however this can be reversed.
- 3 lite sliding windows come as quarter/half/quarter as standard however equal widths can be ordered.
- Other sizes and configurations are available. Please consult with our sales staff to find the right window for you.












Fixed Window



Fixed windows are fixed pieces of glass that do not open or operate. The purpose of this style of window is to let light into the house and to give a feature to the wall. They go great in void areas such as above an entry way or stairway or in parts of the house where a view is wanted.

Configuration	Window Size		Stud Opening		# of Bricks		Configuration	Window Size		Stud Opening		# of Bricks	
	Height	Width	Height	Width	Height	Width		Height	Width	Height	Width	Height	Width
	600	610	656	666	7	2.5		1370	610	1426	666	16	2.5
		730		786		3			730		786		3
		850		906		3.5			850		906		3.5
		970		1026		4			970		1026		4
		1090		1146		4.5			1090		1146		4.5
		1210		1266		5			1210		1266		5
	772	610	828	666	9	2.5		1540	610	1596	666	18	2.5
		730		786		3			730		786		3
		850		906		3.5			850		906		3.5
		970		1026		4			970		1026		4
		1090		1146		4.5			1090		1146		4.5
		1210		1266		5			1210		1266		5
	944	610	1000	666	11	2.5		1800	610	1856	666	21	2.5
		730		786		3			730		786		3
		850		906		3.5			850		906		3.5
		970		1026		4			970		1026		4
		1090		1146		4.5			1090		1146		4.5
		1210		1266		5			1210		1266		5
	1030	610	1086	666	12	2.5		2058	610	2114	666	24	2.5
		730		786		3			730		786		3
		850		906		3.5			850		906		3.5
		970		1026		4			970		1026		4
		1090		1146		4.5			1090		1146		4.5
		1210		1266		5			1210		1266		5
	1200	610	1256	666	14	2.5		2100	610	2156	666	24.5	2.5
		730		786		3			730		786		3
		850		906		3.5			850		906		3.5
		970		1026		4			970		1026		4
		1090		1146		4.5			1090		1146		4.5
		1210		1266		5			1210		1266		5

- All drawings are viewed from the outside.
- All dimensions are in mm.
- All 2 and 3 lite fixed windows come as equal width as standard however different widths can be ordered.
- Fixed windows can be ordered with low lites or with a transom in the centre.
- Other sizes and configurations are available. Please consult with our sales staff to find the right window for you.








Configuration	Window Size		Stud Opening		# of Bricks		Configuration	Window Size		Stud Opening		# of Bricks		
	Height	Width	Height	Width	Height	Width		Height	Width	Height	Width	Height	Width	
	600	1450	656	1506	7	6		1540	1450	1596	1506	18	6	
		1570		1626		6.5			1570		1626		6.5	
		1810		1866		7.5			1810		1866		7.5	
		2170		2226		9			2170		2226		9	
		2410		2466		10			2410		2466		10	
	772	1450	828	1506	9	6		1800	1450	1856	1506	21	6	
		1570		1626		6.5			1570		1626		6.5	
		1810		1866		7.5			1810		1866		7.5	
		2170		2226		9			2170		2226		9	
		2410		2466		10			2410		2466		10	
	944	1450	1000	1506	11	6		2058	1450	2114	1506	24	6	
		1570		1626		6.5			1570		1626		6.5	
		1810		1866		7.5			1810		1866		7.5	
		2170		2226		9			2170		2226		9	
		2410		2466		10			2410		2466		10	
	1030	1450	1086	1506	12	6		2100	1450	2156	1506	24.5	6	
		1570		1626		6.5			1570		1626		6.5	
		1810		1866		7.5			1810		1866		7.5	
		2170		2226		9			2170		2226		9	
		2410		2466		10			2410		2466		10	
	1200	1450	1256	1506	14	6		2058	1450	2114	1506	24	6	
		1570		1626		6.5			2100		2156		24.5	10
		1810		1866		7.5			600		656		7	11
		2170		2226		9			772		828		9	
		2410		2466		10			944		1000		11	
	1370	1450	1426	1506	16	6	2650	2706	1200	1256	14			
		1570		1626		6.5			1370	1426	16			
		1810		1866		7.5			1540	1596	18			
		2170		2226		9			1800	1856	21			
		2410		2466		10			2058	2114	24			
									2100	2156	24.5			








- All drawings are viewed from the outside.
- All dimensions are in mm.
- All 2 and 3 lite fixed windows come as equal width as standard however different widths can be ordered.
- Fixed windows can be ordered with low lites or with a transom in the centre.
- Other sizes and configurations are available. Please consult with our sales staff to find the right window for you.

Sliding, Stacking, Swinging & Bi-Fold Doors

Sliding and stacking doors are the most common style of door used on the external of a house. With the panels sliding to one side it is easy to operate and don't take up any internal or external space. Swinging doors are most commonly used in entry ways as a front door. These hinge off the jambs and can swing in or out. Single and double doors are available. Bi-Fold doors have folding panels that hang from the top. They're mostly used to on patios or alfresco's as you can fully open the door.




Configuration	Window Size		Stud Opening		# of Bricks	
	Height	Width	Height	Width	Height	Width
	2100	1570	2156	1626	24.5	6.5
		1810		1866		7.5
		2170		2226		9
		2410		2466		10
	2400	1570	2456	1626	28	6.5
		1810		1866		7.5
		2170		2226		9
		2410		2466		10
	2100	2684	2156	2740	24.5	11
		3224		3280		13.5
	2400	2684	2456	2740	28	11
		3224		3280		13.5
	2100	3118	2156	3174	24.5	13
		3598		3654		15
	2400	3118	2456	3174	28	13
		3598		3654		15
	2100	2324	2156	2380	24.5	9.5
		2684		2740		11
		3224		3280		13.5
	2400	2324	2456	2380	28	9.5
		2684		2740		11
		3224		3280		13.5
	2100	4624	2156	4680	24.5	19
		5344		5400		22
	2400	4624	2456	4680	28	19
		5344		5400		22
	2400	6424	2456	6480	28	26.5
		6424		6480		26.5

Configuration	Window Size		Stud Opening		# of Bricks	
	Height	Width	Height	Width	Height	Width
	2100	2238	2156	2294	24.5	9.5
		2962		3018		12.5
	2400	2238	2456	2294	28	9.5
		2962		3018		12.5
	2100	3686	2156	3742	24.5	15.5
		4410		4466		18.5
	2400	3686	2456	3742	28	15.5
		4410		4466		18.5
	2100	970	2156	1026	24.5	4
		1210		1266		5
	2400	970	2456	1026	28	4
		1210		1266		5
	2100	1570	2156	1626	24.5	6.5
		1810		1866		7.5
	2400	1570	2456	1626	28	6.5
		1810		1866		7.5

- All drawings are viewed from the outside.
- All dimensions are in mm.
- All Bi-Folds open out as standard.
- All swinging doors open in as standard.
- Swinging Doors are available with either fixed or operable side lites and high lites
- Sliding and stacker doors come with the left panels sliding as standard but can be reversed
- Other sizes and configurations are available. Please consult with our sales staff to find the right window for you.

Standard Bi-Fold Door Opening Configurations Shown Below



WINDVIEW

A U S T R A L I A

Elegance With A View

02 4722 3104

www.windviewaustralia.com

Windview Australia | ABN: 85 594 765 722

Designed and produced by Windview Australia January 2019